| Risk Ref | Outcome Description | Impact | Likelihood | Risk Rating |
|----------|--|-----------------|----------------|-------------|
| H23 | Influenza type disease (pandemic) | 5-Catastrophic | 4-Medium High | Very High |
| H18 | Low temperatures and Heavy Snow | 4-Significant | 4-Medium High | Very high |
| H24 | Emerging infectious diseases | 5-Catastrophic | 3-Medium | Very High |
| | Non-zoonotic notifiable animal diseases (e.g. Foot and Mouth Disease (FMD), Classical Swine Fever (CSF), Bluetongue and Newcastle Disease (of birds)) | 4-Significant | 3-Medium | Very High |
| HL115 | Disruption or perception of lack of fuel supplies from filling stations locally | 3-Moderate | 5-High | High |
| HL7 | Industrial explosions and major fires | 3-Moderate | 5-High | High |
| HL102 | Offshore emergency in Poole Harbour | 3-Moderate | 5-High | High |
| H31 | Actual or threatened significant disruption to fuel supplies including industrial action by tanker drivers or refinery staff, or effective blockades at key refineries/terminals by protesters | 3-Moderate | 3-Medium | High |
| HL17 | Local coastal / tidal flooding (in one Region) | 3-Moderate | 4-Medium High | High |
| H14 | Major contamination incident with widespread implications for the food chain | 3-Moderate | 4-Medium High | High |
| HL108 | Localised flooding caused by groundwater emergence/ spring activity | 3-Moderate | 4-Medium High | High |
| | Local fluvial flooding | 3-Moderate | 4-Medium High | High |
| HL18 | Local / Urban flooding (fluvial or surface run-off) | 4-Significant | 3-Medium | High |
| | Biological substance release during an unrelated work activity or industrial process (e.g. Legionella release due to improperly maintained building environmental control systems). | 3-Moderate | 3-Medium | High |
| HL20 | Localised, extremely hazardous flash flooding | 3-Medium | 3-Medium | High |
| H30 | Emergency services: loss of emergency fire and rescue cover because of industrial action. | 3 - Moderate | 3-Medium | High |
| H44 | Major reservoir dam failure/collapse. | 4-Significant | 2-Medium Low | High |
| H41 | Technical failure of national electricity network | 4-Significant | 2-Medium Low | High |
| HL33 | Forest or moorland fire | 4-Significant | 2-Medium Low | High |
| H49 | Loss of drinking water supplies due a major accident affecting infrastructure. | 4 - Significant | 2 - Medium Low | High |
| H16/HL9 | Aviation accident over a semi-urban area/Aviation Accident | 5-Catastrophic | 1-Low | High |
| HL104 | Radioactive release during the visit of a nuclear powered vessel (NPV) to Portland Port | 5-Catastrophic | 1-Low | High |
| H17 | Storms and Gales | 3-Moderate | 4-Medium High | High |
| HL15 | Maritime Pollution | 0 | 0 | Medium |
| | No notice loss of significant telecommunications infrastructure in a localised incident such as a fire, flood or gas incident | 2-Minor | 3-Medium | Medium |
| HL21 | Land movement (i.e. caused by tremors or landslides) | 2-Minor | 4-Medium High | Medium |

| Risk Ref | Outcome Description | Impact | Likelihood | Risk Rating |
|-----------|---|------------------|-----------------|-------------|
| HL42 | Loss of cover due to industrial action by workers providing a service critical to the preservation of life (such as emergency service workers). | 2-Minor | 4-Medium High | Medium |
| HL4 | Major pollution of controlled waters | 2-Minor | 4-Medium High | Medium |
| H33 | Unofficial strike action by prison officers | 2 - Minor | 4 - Medium High | Medium |
| H56 | Severe space weather | 2 - Minor | 4 - Medium High | Medium |
| H43 | Telecommunication infrastructure – human error | 2 - Minor | 3 - Medium | Medium |
| H55 | Severe effusive (gas rich) volcanic eruption overseas | 2 - Minor | 3 - Medium | Medium |
| H35 | Industrial action by key Rail workers | 3-Moderate | 2-Medium Low | Medium |
| HL101 | Fire or explosion at a gas terminal or involving a gas pipeline | 3-Moderate | 2-Medium Low | Medium |
| H39 | Failure of water infrastructure or accidental contamination with a non-toxic contaminant. | 3-Moderate | 2-Medium Low | Medium |
| H50 | Drought | 3-Moderate | 2-Medium Low | Medium |
| HL28/H4 | Localised fire or explosion at a fuel distribution site or tank storage of flammable and /or toxic liquids | 3-Moderate | 2-Medium Low | Medium |
| H57 | Large Scale Public Disorder | 3-Moderate | 2-Medium Low | Medium |
| HL101 | Fire or explosion at a gas terminal or involving a gas pipeline | 3-Moderate | 2-Medium Low | Medium |
| HL112 | Heat wave | 2-Minor | 2-Medium Low | Medium |
| HL103 | Hazardous materials release (to cover H8, H9, HL2 and HL3) | 2-Minor | 2-Medium Low | Medium |
| HL112/H48 | Heatwave/Natural Hazard | 2-Minor | 2-Medium Low | Medium |
| H45 | Technical failure of electricity network due to operational error or bad weather causing damage to the system. | 3 - Moderate | 2 - Medium Low | Medium |
| H26 | Exotic Zoonotic notifiable animal diseases (e.g. Highly Pathogenic Avian Influenza (HPAI), Rabies and West Nile Virus) | 3 - Moderate | 2 - Medium Low | Medium |
| H42 | Rapid accidental sinking of a passenger vessel in or close to UK waters. (incorporates HL34/HL8) | 3-Moderate | 1-Low | Medium |
| H15 | Maritime Pollution | 5 - Catastrophic | 1 - Low | Medium |
| H7 | Explosion at a high pressure gas pipeline | 4 - Significant | 1 - Low | Medium |
| HL13 | Maritime accident or deliberate blockade resulting in blockage of access to key port, estuary, maritime route for more than one month. | 4 - Significant | 1 - Low | Medium |
| HL30 | Localised explosion at a natural gas pipeline | 4 - Significant | 1 - Low | Medium |
| HL23 | Bridge closure or collapse | 3 - Moderate | 1 - Low | Medium |

| Risk Ref | Outcome Description | Impact | Likelihood | Risk Rating |
|----------|---------------------|------------|------------|-------------|
| HL11 | Railway accident | 3-Moderate | 1-Low | Medium |