Department/Station Business Continuity Plan Template

Department/Station:	Community Hub 3 - Ramsbury
Plan Owned by:	Service Delivery
Nominated Manager:	Jason Underwood
Date Completed:	31/10/16
Review Date:	31/10/17
Version	V.1.

Activities Review

The nominated manager must complete an 'Activities Review' to identify the activities within the Department/Station. These activities will be risk assessed, against our Business Continuity element of the Service's Risk Matrix, taking only the impact assessment into account, see guidance below:

Minor The Service can live without this function until a point of business as usual	Moderate Function can be suspended for over 7 days.	Serious There can be some suspension of up to 7 days.	Major There can be a delay of a maximum of 24 hours.	Catastrophic The Service can not fail – full availability must be maintained.
The short term partial failure of a department to deliver non critical function.	The short term failure of a department to deliver non critical function.	The failure of a department to deliver a key function (up to 7 days) requiring the introduction of local department business continuity arrangements	Partial delay of the <u>Service</u> to deliver a critical function (up to 24 hours) requiring the introduction business continuity arrangements.	The failure of the <u>Service</u> to deliver an emergency response requiring the introduction of full business continuity arrangements.

List the activities within Department or Station	Impact Score (1-5)	
Operational Response to Emergency calls		
Community Group meetings from external agencies		
RDS Drill nights (Standard tests, administration, etc)	2	

Catastrophic & Major Impact Activities					
How long can the Service tolerate disruption of this Catastrophic/Major Impact Activity (Place an X in the relevant box)					
List the Catastrophic and Major Activities from above : Up to> No disruption 1Hr 4Hrs 8Hrs >24Hrs					
1 Operational Response to Emergency calls	X				

Serious Impact Activities		
How long can the Service tolerate disruption of this Serious Impact Activity		
(Place an X in the relevant box)		ļ
List the Serious Impact Activities from above : Up to> >48hrs		>7days

Moderate Impact Activities		
How long can the Service tolerate disruption of this Moderate Impact Activity		
(Place an X in the relevant box)		
List the Moderate Impact Activities from above : Up to>		
1 RDS Drill nights (Standard tests, administration, etc)		

Recovery Plan

The planned actions within the recovery plan support the continuation of catastrophic activities and the re-establishment of major, serious and moderate activities for the Department/Station within an identified time frame and the measures required to be in place to manage the recovery of these activities.

Prior to the Event (where warning has been received)

١				
	1	Inform Control Room Manager	Contact control to inform them of the potential for a disruption to business, plan for event using the remainder of this plan as guidance.	On Duty Watch/Station Manager
		Contact relocation site.	Consider the requirement for relocation – if needed advise relocation site as to possible duration of relocation and resources that are relocating.	LBCM

First Hour

	Activity	Recovery Measures	Role Responsible
1	Invoke Business Continuity	Contact Control to advise of an event causing disruption to the use of the station.	On Duty Watch/Station Manager
2	Identify the Lead Business Continuity Manager	Control to contact Duty Area Manager, to confirm situation and for confirmation of the invocation of the BC. If confirmed, follow business continuity procedure, advising the Duty Area Manager that they become the Lead Business Continuity Manager.	Control to advise
3	Establish Incident Response Team (IRT)	LBCM to select an IRT to support the LBCM in attending to the BC event. See Service's Business Continuity Procedure for full requirement, roles and responsibilities. An IRT Lead to be appointed, local Group Manager preferred.	LBCM
		The IRT team should include members of the Area Management Team where possible and a representative of Response/Resilience where possible to manage the National Resilience asset.	

PRM 2 – Business Continuity Procedure

4	Tenability of operation at current location	Consider if the station/appliances need to remain on the run. Control to advise the IRT Lead of the current situation of the Service and pump availability. Where possible, Control should review how stable this situation is.	IRT Lead Control
		If Station not required to remain on the run actions should still be taken, where needed to preserve buildings and equipment. (see remainder of plan) If Station is required on the run, consider what appliances are required (pumps, water and animal etc). Commence relocation – see direction below.	IRT Team
5	Affected Personnel	Identify staff on duty and whereabouts, communicate with affected staff. Hold a Station Meeting to: - Advise of the current situation - Advise where appropriate if relocation is required, and/or if the station will be closed - Consider any staff who could be sent home - Ensure RDS section is aware of the situation and impacts upon their response, confirm that Gartan can only be updated externally at present	IRT
6	Relocation of operational staff and appliances	 When relocation required IRT Lead to advise Control Contact relocation site Make arrangement for the movement of appliances Advise relevant staff (those on duty and those off where possible) – Telephone/text message system Send a Station Manager to manage move into the new site. Consider transport arrangements for equipment, inc PPE 	IRT Lead Control
		Site location - Marlborough Fire Station	

7	Salvage of key equipment	Consider, where appropriate, the salvage of equipment. Where is it to go (relocation site/other Service storage area), how it will be moved and by who.	IRT
8	Consider what equipment is required	Essential Equipment to be moved to the relocation site. Essential equipment list provided by Station Manager. Also consider:	IRT
		Operational equipment incl. BA cylinders Non mobile equipment	
		Supporting equipment incl. • Stationary • Contact numbers station personnel	
9	Personal Items	Where possible, Crews to be advised to review what personal items they would need to take to the relocation site and collect items prior to leaving station.	IRT
10	Communicate event to neighbouring Stations/Officers	Consider requirements for awareness of the remainder of the Service, taking into account the impact on other local stations.	IRT Lead
		Ensure that all flexi duty managers are aware of the situation.	Control
		Email all staff to advise of the situation.	IRT
		Consider advising neighbouring Services	IRT Lead/LBCM via Control
11	Isolate Services	Where appropriate isolate all Services in to the Station.	IRT
		Consider also Door locks (8 Hours max battery back-up). Contact logistics for advice.	
12	Relocation testing	Arrange for a test of the response of staff to the relocation site where possible, and time the response. Ensure that control is aware if the timeframe for response is delayed. Ensure that all staff can respond appropriately.	IRT/Control

PRM 2 – Business Continuity Procedure

		Provide relocation site with an additional radio and charging unit for mobilisation.	
13	Decisions and Issues	Set up a folder to use during the management of the event and ensure appropriate access.	IRT Member with ICT
		Set up an issues and decisions log using the templates provided within the BC arrangements. Ensure that all issues and decisions are logged and reviewed on-going through the event.	IRT
		Admin member of IRT to be assigned to complete this.	IRT

4-8 Hours

	Activity	Recovery Measures	Role Responsible
1	Media	Consider media attention and the requirement of public advise	IRT Lead
		Ensure that there is a suitable member of the IRT team with Media experience. Provide media with relevant information suitable for the situation. Agree final format with the IRT Lead/LBCM	IRT Media
2	Welfare of	Consider the welfare of those who have relocated and/or those moving	IRT
_	personnel	equipment and dealing with the situation. Make arrangement for food and drink to be supplied on a regular basis until the situation has been resolved	
		Consider Transport home or sleeping arrangements	IRT
		Consider all staff at relocation site, and liaise with them to ensure their needs are met.	
3	Communicate with the rest of the	Ensure that off duty Station Personnel are fully aware of the situation.	IRT
	Service	Contact and make arrangements for personnel changing shift and detachments.	
		Provide an all staff update	IRT Media

4	Review requirement of equipment, vehicles and	Consider other equipment requirements on station/including vehicles and appliances.	IRT
	appliances.	Consider movement and storage for duration of the event. Consider transport arrangements for equipment and staff.	
5	Premises security	Review arrangements to ensure that the Station is secure.	IRT
]	1 Terrises security	The view arrangements to ensure that the Station is secure.	
		Review security arrangement of the relocation site ensuring that any appliances, kit and personnel are secure.	
6	Update affected staff	Contact staff and provide on-going communications keeping them up to date with the situation.	IRT
7	Supplies to station	Consider expected internal deliveries, redirect or delay.	IRT
		Consider any external deliveries, redirect or delay.	
8	Use of Station from	If the Station is used by external agencies/partners review any diarised	IRT
	non-Service	arrangements. Contact, advise of the situation and cancel until further	
	agencies.	notice.	IDT
9	Review status of	Review current situation	IRT
	event	Review availability of the remainder of the Service. Review arrangements at relocation (where required).	
		Speak to effected staff and ensure their welfare and address any issues.	
		confirm actions or plan alternative	
10	Area Management	Consider availability of personnel and arrangements for Gartan reviews.	IRT
		Laptop availability?	
11	Gartan Availability	Consider arrangements for Gartan updates and reviews.	IRT
		Arrange for ICT to review Wi fi options and where possible arrange for a	
		Laptop to be made available at relocation where required.	
		Provide staff update that this function is now available.	
		Ensure that password access to the laptop is available.	
12	Partners and other	Consider our partners and other agencies and who should be advised of the	IRT Lead
14	Agencies	situation.	IIVI LGAU
13	Station manager –	Ensure that the SM aware if not on duty of the current situation.	IRT
	Hub 3	,	

PRM 2 – Business Continuity Procedure

24 Hours

	Activity	Recovery Measures	Role Responsible
1	Sustainability of relocation (where appropriate)	Consider the venue, review the time frame of the situation. If it is possible that this will continue for a couple more days, continue with arrangements.	IRT IRT/IRT Lead
		If the Station is likely to be unavailable longer term meet with the LBCM to look at the options available, consider the venue and on-going welfare of personnel	IRT Lead
2	Review Station Premises	Ensure that an update on the status of the site is received, visit site where appropriate	IRT
3	Relocation site management.	Keep relocation site management updated of the situation and ensure that they are okay with the current arrangements.	IRT
4	Visit relocation site	Ensure that all information, equipment and appliances are secure and all facilities are up and running.	IRT Lead
5	All Staff Communication	Ensure that effected Station staff are spoken to and kept up to date with the situation. Arrange for all effected staff to meet to discuss the on-going situation, needs, concerns, etc.	IRT Lead/LBCM
		Send an all staff communication to ensure understanding of the situation.	IRT Media
		Ensure all flexi-officers are aware of the on-going issue.	IRT Lead
		Ensure Control have a full update.	IRT
6	Post to station.	Consider how this will be received.	IRT
7	Media	Consider media attention and local communities, and provide a response where required, approved appropriately via the LBCM	IRT Media
8	Station Notices	If the Station is not useable, ensure that appropriate signage is displayed with a contact number for queries. Ensure that the number provided is manned and staff aware of the brief to supply.	IRT

PRM 2 – Business Continuity Procedure

48 Hours

	Activity	Recovery Measures	Role Responsible
1	Longer term arrangements for	Review long term fall back plans (long term relocation site to be considered)	IRT lead/LBCM
	relocation.	A Service Recovery team (SRT) should be considered to manage longer term arrangements.	
			LBCM
		Use business cont. procedure to confirm SRT requirements, resourcing and roles	
			LBCM
2	Restoration of Station	Estates to meet with the LBCM, and relevant IRT Members and SRT Lead to review the situation, repairs, timeframe, etc.	SRT Lead/IRT Lead
3	Communication	Arrange regular meetings with effected personnel.	IRT Lead
		Ensure continued communication with all staff.	IRT Media
		Ensure a relationship with the media is maintained.	IRT Media

+7 days

	Activity	Recovery Measures	Role Responsible
1	Relocation site	Review the on-going use of the relocation site. Is it feasible to stay at site,	SRT Lead (or IRT where SRT not
		consider alternative location with DWFRS and partner Agencies.	called)/LBCM

Service Impact Analysis

To support the implementation and management of this plan the following minimum resources, vehicles & equipment and ICT will be required.

	Resources		
Prior to event			
	Business Continuity Arrangements;		
First Hour	A minimum of,		
	LBCM		
	IRT Lead		
	IRT Admin		
	IRT Control		
4-8 Hours	Plus IRT Media		
	IRT Estates		
	IRT ICT		
	Review membership of IRT extend where required		
24 Hours	Same		
48 Hours	Same		
3-7 Days	Same		
+ 7 Days			

	Vehicles & Equipment			
Prior to event				
First Hour	Vehicles for moving equipment and personnel (where available stores van) Consider mini bus or 2 x cars			
4-8 Hours	Same			

PRM 2 – Business Continuity Procedure

24 Hours	Same
48 Hours	Same
3-7 Days	Same
+ 7 Days	Same

	ICT			
Prior to event				
First Hour	Radio Communication and Mobile Phone and charging units			
4-8 Hours	Same, plus Station manager use of Laptop if wifi available			
24 Hours	Same, plus			
	Cag usage			
48 Hours	Full ICT requirements			
3-7 Days	Same			
+ 7 Days	Same			

Relocation Site

Relocation site details and options for the Department/Station

Site Name	Address/Location	Contact Name	Telephone No	Additional Information
Marlborough Fire Station	Market place Marlborough			

PRM 2 – Business Continuity Procedure

Additional Information

Stakeholders: Identify the stakeholders likely to be affected by this plan.

Stake	Employees	Community	Suppliers	Partners	The Media	The
holders		•				Government
Place X in box	v	v	v	v	X	X
	^	^	^	^		

Elected Members	Users of Services	Neighbouring FRS's
X	X	x

Vital Records

List any vital records that are not computerised and not held on a centrally backed up servicer.

Record	Location	Format
None		